



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/500,263	06/18/2004	Easley Wallace JR.	PR0032USPCI	9838

7590 04/28/2005

E.I. Du Pont De Nemours and Company
Legal Patents
4417 Lancaster Pike
Wilmington, DE 19805

EXAMINER

HESS, BRUCE H

ART UNIT PAPER NUMBER

1774

DATE MAILED: 04/28/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/500,263

Applicant(s)

WALLACE ET AL.

Examiner

Bruce H. Hess

Art Unit

1774

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 7-19-04 (IDS)
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213:

Disposition of Claims

- 4) ☒ Claim(s) 1-25 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-25 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449 or ~~PTO/CB/88~~)
Paper No(s)/Mail Date 7-19-04
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____

Claims 1-25 are rejected under 35 U.S.C. 103(a) as being unpatentable over either of the patents to Tsuno et al (U.S.P. 5,759,738) or Yamamoto et al (U.S.P. 5,629,129).

These patents teach image transfer elements comprising a donor support and a colorant layer comprising a polymeric binder, a colorant, a surfactant and a metal salt. The metal salt can be the metal salt of a fatty acid (both patents) or a quaternary ammonium salt (Yamamoto et al. only). The experimental modification of this prior art in order to ascertain optimum operating conditions (e.g., determine the amount of surfactant employed) fails to render applicants' claims patentable in the absence of unexpected results.

See Yamamoto et al. at column 5, lines 4-30; column 7, lines 26-29; column 8, lines 20-27; and column 11, lines 23, 24 and 41-44.

See Tsuno et al column 12, lines 57, 58, 61 and 62; and column 15, lines 32 and 50-53.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Bruce Hess whose telephone number is (571) 272-1525. The examiner can normally be reached on Monday to Friday 9 Am to 5 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Cynthia Kelly can be reached on (571) 272-1526. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 1774

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

B. Hess/af
April 19, 2005

A handwritten signature in black ink, appearing to read "Bruce Hess", with a stylized flourish at the end.

BRUCE H. HESS
PRIMARY EXAMINER
GROUP 1300